

Altro doorset systems

Complete, bespoke doorsets for public spaces

altro.com

Custom-made doors to suit your project

Altro doorsets bring together a range of finishes, architectural ironmongery and glazing options, to provide a complete end-to-end integrated doorset solution. They allow designers to create individual, bespoke doorsets for a wide variety of spaces and needs, whilst also providing extensive performance reassurances when it comes to fire, smoke, acoustic, water resistance, durability and impact resistance.

The integrated construction and individual product components have been carefully selected and fully tested to work together, providing a co-ordinated, fit for purpose, certified package, offering durability, wear and impact resistance for both day-to-day and the most demanding situations. And with no need for separate components, concerns about scheduling and delivery are eliminated. Additionally, with our 10-year guarantees and over 40 years' experience with Altro walls, you can rest assured that your doors will also go the distance.

Altro Whiterock hygienic doorsets[™] can be faced with Altro Whiterock White[™], Altro Whiterock Satins[™] and Altro Whiterock[™] wall designs, offering a huge design choice, ensuring it's possible to match or complement the surroundings.

These can be used in multiple spaces but are particularly suitable in areas where hygiene is paramount, for example, in healthcare. Where the need for protection is more relevant than hygiene, but easy maintenance is still a factor, there is also the choice of Altro Fortis doorsets[™], fully encapsulating your door with Altro Fortis Titanium[™] wall protection sheet. Alternatively, Altro Fortis door protection[™] can be added to existing doorsets to protect them where they need it. You can order your Altro Fortis Titanium sheet and cut on site, or, contact us with your measurements and we'll cut it for you. If your existing doorset is a fire-rated door, you should seek advice from the manufacturer to ensure the addition of this panel does not compromise any existing certification.



Altro doorsets are supplied as tailored, fully finished doorset systems including door leaf, frame and essential architectural ironmongery to suit your space. Not only does this meet current industry demands for prefabrication but also ensures that designed, certified performance - particularly fire resistance - is achieved. Additionally, savings in site management costs, usually needed to oversee the co-ordination of 'multi-supplier' elements, are possible.

We offer door options to suit X-ray protection requirements, and acoustic performance needs. Please contact us for more information.

Altro doorsets can be designed for use on their own or as part of a complete Altro system including wall protection, hygienic wall cladding and flooring.



Did you know?

Your Altro doorset is protected by a 10-year guarantee, offering reassurance and peace of mind.



What matters to you:

Certification

Altro Whiterock hygienic doorsets and Altro Fortis doorsets are manufactured under the intensive CERTIFIRE independent, third-party certification scheme, and achieve fire and smoke performance up to 60 minutes. All other performance criteria are fully certified to recognised standards and we ensure all the architectural ironmongery components adhere to our certification requirements. Choosing a complete doorset avoids the inadvertent use of non-standard components, which could undermine and diminish fire, acoustic or radiation performance.

Support and guidance

Altro support starts from our first contact and includes help with specification, technical support and installation guidance. Our technical service teams can offer you solutions and information on all aspects of your project. Whether you are a contractor, architect, designer or end user, if you need them, please get in touch by calling 01462 489516.

Compatibility

We use architectural ironmongery with rounded corners to avoid stress cracking of door facings.

Superior durability

Superior durability and life cycles are ensured while site preparation is eliminated as much as possible, increasing the accuracy of fitting, particularly of critical architectural ironmongery items such as hinges, lock cases and concealed door closers. This reduces stresses placed on the door, frame and operating hardware.

Compliance

Our doorsets are fully compliant with relevant Approved Documents (England and Wales), the Technical Handbooks (Scotland), Technical Booklets (Northern Ireland), Department of Health recommendations, Part M and BS 83000 of the Building Regulations for Accessibility of Buildings.

Resistant to chemicals

Altro Whiterock hygienic doorsets and Altro Fortis doorsets are resistant to a wide range of commonly used chemicals.



Maintenance

Altro Whiterock hygienic wall sheet is smooth and impervious, giving bacteria nowhere to hide in hygiene critical areas, and can easily be wiped clean. Altro Fortis Titanium wall protection has a slightly textured surface, providing superior impact resistance, so scuffs are less likely, keeping the surface looking better for longer. Again, it is easy to wipe clean. More information on cleaning your Altro doorset can be found at www.altro.com.

Time saving

Reduced work on site improves site co-ordination and the amount of snagging issues and remedial work.

Superior efficiency

The use of factory-prepared and installed architectural ironmongery ensures the door and its hardware are working at their most efficient. This avoids the common issues caused by incorrectly or inaccurately installed ironmongery.

Improved quality

Attention to detail is an important aspect of a complete, integrated performance doorset. The factory preparation produces the quality of finish which cannot be achieved on-site.

Glazing

Our doorsets can incorporate flush glazing options which minimise the build-up of airborne particles and can be wiped clean.

Where can Altro doorsets be specified?

With unique design and flexibility Altro doorset systems provide a completely bespoke solution, suited to a wide range of sectors and applications.



Health and care

In areas where hygiene is paramount, Altro Whiterock hygienic doorsets combine hygiene, functionality and design to meet the standards needed in healthcare buildings. Completely flush with seamless facings, there's nowhere for bacteria to hide, and cleaning is straightforward. For areas where hygiene is not critical, Altro Fortis doorsets have the same structural benefits but are designed to prevent scuff and impact damage.



Education

With multiple colour options, rounded corners and acoustic performance, Altro doorset systems meet the performance, safety and compliance guidance of the Department for Education (DfE) to create inspirational learning environments.



Hospitality and leisure

Water and impact resistance, combined with a choice of shades and finishes, offer contemporary or classic solutions with the long-term durability needed for hotels, cafés, bars, restaurants and leisure venues in both back of house and customer-facing areas.



Industrial and commercial


Dust-free environments are a prerequisite for certain industries, including food and drink production, pharmaceutical and high-tech. Altro doorset systems are non-shedding, minimise the build-up of airborne particles and can be wiped clean, ideal for environments that need to be free from particulates.





i Did you know?

Altro's frame components come completely pre-finished and fully encapsulated for greater moisture and rot resistance, hygiene, durability and speed of installation.



Finish options

Door frame and door leaf

Our doorsets can be fully encapsulated in Altro Whiterock or Altro Fortis Titanium, with 'softer' radiused vertical edges to door leaves, frame edges and the post forming of facings around them. This gives them a distinctive appearance, as well as wipe-clean, damage resistant and ergonomically friendly surfaces. Rounded edges help reduce the chances of both damage and accidents to those using them.

Ironmongery options

We offer a range of standard ironmongery options to enable you to create the doorset needed for your space. All the ironmongery used is tried and tested, meeting required technical standards, and because your doorset is prefabricated, you can rest assured that its performance is guaranteed.

Glazing options

Vision panel configurations

We also have a range of standard popular vision panel styles, crucial for commercial kitchens and operating theatres, and can accommodate bespoke glazing and vision panel designs.



Did you know?

Altro Whiterock hygienic doorsets are HACCP approved, making them suitable for commercial food preparation areas.

Product and colour options

Altro Whiterock hygienic doorsets[™]

		NEW	
White 01 LRV 89	Linen 41 LRV 83	Hessian 233 LRV 68	Silk 229 LRV 68
	NEW	NEW	
Oyster 32 LRV 73	Blossom 230 LRV 77	Blush 231 LRV 29	Clay 224 LRV 29
	NEW	NEW	
Seafoam 43 LRV 81	Spa 232 LRV 81	Serenity 227 LRV 56	Promenade 2 LRV 32
NEW			
Breeze 228 LRV 64	Mint 203 LRV 59	Orchard 223 LRV 50	Vibrance 213 LRV 22
Ice 44 LRV 80	Cesco 53 LRV 72	Echo 208 LRV 36	Urban 210 LRV 28
		NEW	
Clarity 207 LRV 64	Flint 201 LRV 32	Twilight 226 LRV 12	Warm Woodgra LRV 38
Winter Weave 9909 LRV 58	Autumn Weave 9910 LRV 43	Summer Weave 9908 LRV 36	Brushed Steel LRV 54
	1 		
Soft Woodgrain 9901	White Mineral 9905	Cool Mineral 9906	Urban Mineral

Soft Woodgrain | 9901 LRV 52

White Mineral | 9905 LRV 61

LRV 48

NEW Fawn | 206 LRV 41

Bergamot | 220

Honeydew | 225

Ozone | 211 LRV 10

Dakota | 209

Rich Woodgrain | 9902

Antique Copper | 9912

LRV 6

LRV 14

LRV 9

LRV 26

LRV 60

212

rain | 9904



| 9911



Urban Mineral | 9907 LRV 28

Product and colour options

Altro Fortis doorsets[™]



Altro Fortis door protection[™] panels

LRV 41

LRV 43







Cardinal | FT/221 LRV 13

Kingfisher | FT/213 LRV 22



Mustard | FT/222

LRV 69






Cardinal | FT/221 LRV 13

Kingfisher | FT/213 LRV 22

In need of a common configuration doorset on a quick turnaround? Use our quick door selector to piece together a single swing doorset configuration in six simple steps for most common area's of use. Select your preferences from the six simple steps and provide to us for a quick quote.

Step 1 - door type



2100mm x 1010mm x 120mm


Step 2 - fire ratings

NFR – Non-Fire Rated

FD30 – 30 minutes

FD60 – 60 minutes

Step 3 - vision panels



Quick door selector

Step 4 - frame and architrave colour / finish

Select your colour and finish for the frame and architrave from the options on pages 10 and 11

Step 5 - door colour / finish

Select your colour and finish for the door(s) from the options on pages 10 and 11

Step 6 - ironmongery sets

Set 1	Area of use
1. Push plate / pull handle set(s)	
2. Slide arm closer(s)	Circulation (corridor, hallway,
3. 200mm kick plates (both sides of each door)	stairway, lobby, open plan office, bin store), kitchen
4. FDKS signage for fire rated doors	





Area of use
Circulation (corridor, hallway, stairway, lobby, open plan office), electromagnetic closers

Set 3	Area of use
1. Push plate / pull handle set(s)	
2. Slide arm closer(s)	
3. Deadlock	
4. Escutcheons	Circulation (corridor, hallway, stairway,
5. Cylinder	lobby, open plan office, store room)
6. 200mm kick plates (both sides of each door)	
7. FDKS signage for fire rated doors	
8. Flushbolts (unequal pair)	



Quick door selector

Set 4	Area of use
1. Push plate / pull handle set(s)	
2. EMAG slide closer(s)	
3. Deadlock	
4. Escutcheons	Circulation (corridor, hallway, stairway, lobby, open plan office, store room),
5. Cylinder	electromagnetic closers
6. 200mm kick plates (both sides of each door)	
7. FDKS signage for fire rated doors	
8. Flushbolts (unequal pair)	





Set 5	Area of use
1. Lever handle set	
2. Sash lock	
3. Slide arm closer(s)	
4. Escutcheons	Offices, administration, classroom,
5. Cylinder	examination room, lab, clean room
6. 200mm kick plates (both sides of each door)	
7. FDKS signage for fire rated doors	
8. Flushbolts (unequal pair)	



Quick door selector

Set 6	Area of use
1. Lever handle set	
2. Latch	
3. Slide arm closer(s)	Latching doorset applications
4. 200mm kick plates (both sides of each door)	
5. FDKS signage for fire rated doors	
6. Flushbolts (unequal pair)	





Set 7	Area of use
1. Lever handle set	
2. Bathroom lock c/w thumbturn	
3. Slide arm closer(s)	-
4. 200mm kick plates (both sides of each door)	WC's, shower rooms
5. Flushbolts (unequal pair)	-
6. WC / shower signage	
7. FDKS signage for fire rated doors	



Quick door selector

Set 8	Area of use
1. Digilock set	
2. Slide arm closer(s)	
3. 200mm kick plates (both sides of each door)	Additional security applications
4. Flushbolts (unequal pair)	
5. FDKS signage for fire rated doors	



Once you have completed the six simple steps, contact our team to discuss how Altro can assist you with your upcoming project by emailing doors@altro.com

Samples

If colour choice is critical, please request a sample of the material

🕸 01462 707 700

🖻 enquiries@altro.com

₽ altro

Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW 1462 707 700 a doors@altro.com

altro. = Altro, Designed for possibilities. Made for people. Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Digiclad, Altro Fortis Titanium, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2024

