




Designed for possibilities.
Made for people.



NEW PRODUCT

Altro Transflor Sonis

Typical applications:

Executive sedans, coach, shuttle, trolley, specialty vehicles, mobility vehicles, people movers.

Altro Transflor Sonis has been purposely engineered to address the differences in on-board sound and climate experienced by passengers traveling on zero emission buses. The range has been developed and tested to enhance insulation against high frequency airborne sound and to help retain and regulate optimum interior temperature. Better still, it achieves this without the need to add excessive extra weight to vehicles being up to 21% lighter than alternative acoustic floor coverings. Maximizing charge range is understandably a critical concern for operators seeking to run economical and efficient services, but this can't come at the cost of passenger comfort. Altro Transflor Sonis enables vehicles to strike the perfect balance to support the creation and maintenance of an appealing, comfortable interior which actively contributes to the efficient running of busy fleets. Available in a range of stylish contemporary designs and protected by ShieldGrip technology to ensure sustained slip and ease of cleaning Altro Transflor Sonis is sound investment for any fleet.

lightweight safety flooring for the transit industry

Altro Transport Division 12648 Clark Street Santa Fe Springs, CA 90670

Altro reserves the right to change any information. Please consult altro.com or your local Sales Representative for the latest product range information.

 USA 800.382.0333  CANADA 800.565.4658  transflor@altro.com  altro.com/us/transport



Farmhouse Oak
TFSN3904 (3.9mm)
WR338 / AM338 / LRV 38




Oak Riche
TFSN3914 (3.9mm)
WR227 / AM227 / LRV 10




Vintage Cherry
TFSN3902 (3.9mm)
WR336 / AM239 / LRV 22




Worn Oak
TFSN3932 (3.9mm)
WR332 / AM239 / LRV 19




Manor Oak
TFSN3916 (3.9mm)
WR348 / AM348 / LRV 7



Pina
TFSN39016 (3.9mm)
WR494 / AM494 / LRV 23



Trapini
TFSN39005 (3.9mm)
WR314 / AM82 / LRV 11



Onyx
TFSN39010 (3.9mm)
WR485 / AM485 / LRV 8

Learn more > altro.com/sonis

i LRV = Light Reflectance Value
AM = Mastic
WR = Weld rod

i Color matched Weldrods (WR) and Mastics (AM) are available. You'll find their product codes under product SKUs.

i All products available in roll and kit format. Custom colors are also available.



Samples
Experience has shown that printing cannot reproduce colors accurately. If color choice is critical please request a sample of the material.

Dimensions	6'7" x 65'7" / 2 m x 20 m
Thickness	3.9 mm
Weight	5.34 lb/sy
Format	ROLL, PRE-CUT, SELF ADHESIVE

