

altro

Designed for possibilities.  
Made for people.



# Altro Tegulis™ product datasheet

Hygienic wall panels in chic tile designs

Picket pattern  
shown in photo

# Altro Tegulis

For a sophisticated space, effortlessly create your own style with Altro Tegulis – the modern alternative to traditional tile walls. With a broad palette of colors and designs to choose from, it's the perfect way to elevate any environment.

Combining the chic look of tile with custom-etched faux grout lines, Altro Tegulis offers a hygienic, low-maintenance solution. Say goodbye to the cleaning and repair headaches of traditional tiles. The robust PVC construction prevents water and bacteria from penetrating below the surface, allowing for thorough cleaning and disinfection with ease.

Altro Tegulis is fully customizable, allowing you to select from our standard range of designs or even specify a unique custom design tailored to your installation. And the customization doesn't stop there – you can choose from three unique joining methods: half-lap, interlocking, or straight edge. This flexibility ensures that Altro Tegulis can be used in a variety of spaces, including wet environments like showers and tub surrounds.

Faster to install than ceramic tiles, Altro Tegulis saves you both time and money. Our innovative joining methods make installation simpler and more efficient, delivering excellent results every time.

## Typical applications

Residential healthcare, retail, offices, hospitality, education, student accommodations, leisure, focal walls and wet areas such as shower enclosures, tub surrounds, bathrooms, kitchenettes, spas and backsplashes.

## Features + benefits

- Extensive color + pattern palette
- Complete customization available
- Etched grout lines to maintain hygiene
- Well bonded to substrate
- Dry + wet area options
- Achieves ICC-ES product certification
- Non-porous, hydrophobic and resists bacterial growth
- Class A fire rated + CAN/ULC tested
- Low VOCs, lead-free and phthalate-free
- Fabricated in the USA with German materials

## Ordering

### 1. Size

Pick your panel size:

- 8'2"(2.5m) nominal
- 9'10"(3m) nominal

### 2. Pattern

Choose your pattern from one of our standard looks or get creative and create your own.

### 3. Color

Your wall panels can be manufactured with any of the colors from our Altro Whiterock, Altro Whiterock Chameleon or Altro Whiterock wall designs ranges.

### 4. Joining

Determine which method of installation.

- Half-lap
- Interlock
- Straight-edge

2.5mm  
thick

4'  
width

variable  
length

custom  
sizing

panel  
format




Even more content  
in our Altro Tegulis  
brochure!



*Herringbone pattern in Altro Whiterock Standard White shown*

Patterns

Each panel is manufactured to your specification. Pick one of our standard tile patterns below or create your own.




Accordion




Chevron




Cortino




Deco



Diamond 4" x 4"



Diamond 8" x 8"




Fan




Herringbone




Hexagon




Palermo




Picket




Scale




Shiplap



Speakeasy




Square 4" x 4"




Square 6" x 6"


For more details on patterns and joining methods please see the brochure.




Stacked 3" x 12"




Stacked 6" x 12"




Stacked 8" x 12"




Subway 3" x 6"




Subway 3" x 12"




Subway 4" x 10"




Subway 12" x 24"



Surfboard



Trapezoid



Waves



Your own custom pattern and tile size!



Altro Tegulis has achieved ICC-ES product certification and is in compliance with the following plumbing code standards:

- ANSI/ICPA SS-1 2001, Performance standard for Solid Surface Materials
- IAPMO PS 106-2015e1, Tileable Shower Receptors and Shower Kits

By complying with these standards this means that Altro Tegulis is approved to be used in showers or other wet areas.



For more info please scan the QR code.

# Satin colors (Altro Whiterock)

A very subtle satin sheen with through color appearance




Standard White



Linen




Cesco




Oyster



Fawn



Ice




Seafoam



Mint



Promenade



Flint



Vibrance




Bergamot



Urban




Echo




Breeze




Twilight



Hessian




Silk



Spa



Serenity



Blossom



Blush



Clay



Honeydew



Dakota

# Matte colors (Altro Whiterock Matte)

Slightly textured emboss, matte sheen, through color appearance




Pearl




Almond



Battleship



Tan




Denim



## High-gloss colors (Altro Whiterock Chameleon)

Reflective, high-gloss sheen with through color appearance



Pure Innocence



Distant Thunder



Liquorice



Shocking Pink



Feng Shui



Moulin Rouge



Taxi Cab



Eau De Chic



Hawaiian Palm



Sheer Glass



Slip Stream



Nightfall




Juicy Lucy

## Patterned looks (Altro Whiterock wall designs)


Patterned appearance, matte sheen with white etched grout lines



Soft Woodgrain




Warm Woodgrain



Rich Woodgrain




White Mineral



Cool Mineral



Urban Mineral



Summer Weave









Autumn Weave



Winter Weave

# Altro Tegulis

Hygienic wall panels in chic tile designs

Thickness	2.5mm   .10"		
Panel dimensions	8' - 4' x 8' 2"   1.22m x 2.5m   *nominal 10' - 4' x 9' 10"   1.22m x 3.0m   *nominal		Custom sizing also available, contact your Altro Representative for details.
Weight	8' - 24.20lbs   10.98kg 10' - 28.57lbs   12.96 kg		
Warranty		5 years	
Life expectancy		15 years	
Fire and smoke performance		CAN/ULC - S102.1 ASTM E84	Tested Class A
VOC emissions		CA 01350	Pass
Maximum service temperature	140°F (60°C)		
Mold resistance		ASTM D3273	Excellent Score of 10
Fungi resistance		ASTM G21	Passes rating 0* *achieves zero growth after 21 days
UV exposure	ASTM G154		Tested
Composition	Semi-rigid virgin PVCu with a tight molecular structure and incorporated UV stabilizers.		
Installation	Follow instructions detailed in the Altro Tegulis Installation Guide to select your preferred installation method.		

Altro and Altro Tegulis are trademarks of Altro Limited. Content was correct at time of print. Altro reserves the right to change any detail. Please consult your sales representative for the latest product information.

© Copyright Altro USA 2025

## LEED facts



LEED v4

This product may help contribute to the following credits

Altro Tegulis

2



Environmental quality  
Low emitting materials, walls

1



Environmental quality  
Low emitting materials, adhesives

1

Discover more of our sustainability story and credentials at [altro.com](https://altro.com)



material  
bank

Order samples 24 hours a day at  
[altro.com](https://altro.com) and [materialbank.com](https://materialbank.com)

Follow us



USA 800 377 5597

CANADA 800 565 4658

support@altro.com

www.altro.com

Content was correct at time of print. Altro reserves the right to change any detail. Please consult [www.altro.com](https://www.altro.com) or your local Sales Representative for the latest product information.

© Copyright Altro 2025